


# TIP BOOK

Multifunction Ultrasonic Tips For All Applications  
2022





## SCALING

---


Scaling is precise work. Proper instrument selection is essential to achieving complete periodontal cleaning. Our wide variety of tips give you the freedom to choose the exact instrument for the situation.



## PERIODONTICS

---

Perio tips are thin and designed for root planing and maintenance to provide the best access to furcation and curved roots.



## ENDODONTICS

---

Xpedent tips can be used in many areas in endodontics. They are excellent for the removal of posts, removing dentin in pulp chambers, finding and widening orifices, preparing canals, removing broken instruments and cleaning prepared canals.



## CAVITY PREPARATION

---


These tips are diamond coated and can be used to prepare a cavity in the tooth before carrying out further dental work.



## SURGERY TIPS

---

These tips are designed for a wide range of bone surgery applications, including sinus lifting and implantation procedures.



### Principle of Operation.

For piezo style tips, including all Xpedent tips except NSK and Kavo Soniflex compatible air scalers, power is generated by the ultrasonic vibration of piezoelectric crystals. This creates a sinusoidal motion with the greatest power (amplitude) at the end of the tip followed by a weaker area, then a stronger area in accordance with a sine wave. The effect of the tip is therefore very dependent upon the part of the tip in contact with the tooth. Contact with the side of the tip in the second strong power band, 2-3 mm from the end, creates the most effective action.

The ideal power setting will depend on the tip used and the condition of the area to be treated. Endo and Perio work requires longer and thinner tips than scaling, so lower powers are appropriate. Always start with a low power and increase gradually to maximise effectiveness and minimise patient discomfort.

### Orientation and Application.

To create a combination of patient comfort and efficient scaling it is important to use the side of the tip at the second power band and at a very shallow angle to the tooth. Too great an angle will bring the point of the tip in contact with the tooth and lead to patient discomfort.

Unlike hand scaling, ultrasonic scaling requires only a very gentle touch to the tooth surface; the ultrasonics provide all the power so the dental practitioner only needs to guide the tip very gently around the area to be treated. The removal of hard deposits can be expedited by applying the end of the tip where the vibrations are strongest; this will cause calculus to break away from the tooth. Once this is done, resume gentle motions. Too much force, or over-use of the tip end, will cause discomfort.

# ULTRASONIC SCALER TIP CONNECTIONS

EMS



MECTRON  
Surgery



SATELEC



EMS  
Surgery



NSK



SATELEC  
Surgery  
Piezotome 1



SIRONA



Piezotome 2



MECTRON



KAVO

SONICflex



PIEZOlux & SONOsoft



PiezoLED & PIEZOsoft



SONICflex quick



AMDENT



◆ diamond coated

✦ irrigation

EMS


SIR

NSK

SAT

MEC

## SCALING



Used to remove light and medium supragingival calculus and bacterial plaque.

99,-

G1


GS1

GN1

GD1

GM1

129,-



Flat edge is used to remove heavy supragingival calculus.


99,-

G2

GS2

GN2

GD2



Used to remove calculus and bacterial plaque from supragingival interdental areas.

99,-

G3


GS3

GN3

GD3

GM3

129,-



Used to remove all supragingival calculus and bacterial plaque.

99,-

G4


GS4

GN4

GD4

GM4

129,-



Used to remove all supragingival calculus and bacterial plaque.

99,-

G5


GS5

GN5

GD5

GM5

129,-



Used to remove heavy supragingival calculus.

99,-

G6

GM6


GN6

GD6

GM6

129,-

## PERIODONTICS



Used to remove subgingival calculus.

125,-

P1


PS1

PN1

PD1

PM1

155,-




Curved to the left, for treating furcations, interdental calculus and very narrow spaces.

149,-

P2L

PN2L

PD2L



Curved to the left and diamond coated, for treating furcations, interdental calculus and very narrow spaces.

179,-

P2LD

PD2LD


EMS

SIR

NSK

SAT

MEC




Curved to the right, for treating furcations, interdental calculus and very narrow spaces.

149,-

P2R

PN2R

PD2R




Curved to the right and diamond coated, for treating furcations, interdental calculus and very narrow spaces.

179,-

P2RD

PD2RD



Used to remove subgingival calculus.

125,-


P3

PS3

PN3

PD3

PM3




Diamond coated, used to smooth the surface of root during periodontal flap surgery.

199,-

P3D

PS3D

PD3D



Used to remove subgingival calculus.


125,-

P4

PS4

PN4

PD4




Diamond coated, a powerful tool for the removal of calcification, this tip can be used for widening calcified roots in the coronal third.

179,-

P4D

PN4D

PD4D




**Anterior Periodontics.** Enables treatment of the incisor-canine block. The guide edge is oriented parallel to the pocket. Enables work in the periodontal pocket without injury to the ligament.

179,-

eH3 (P5)

SH3




Curved to the left, used to remove subgingival calculus.

179,-

P6L

PD6L



Curved to the right, used to remove subgingival calculus.

179,-

P6R

PD6R

EMS

SIR

NSK

SAT

## ENDODONTICS



120° angle holder for use with Xpident U files with a shank diameter of 0.57mm, this tip is usually used for anterior root canal cleaning.

125,-

E1

ES1

EN1

ED1



95° angle holder for use with Xpident U files with a shank diameter of 0.57mm, this tip is usually used for anterior root canal cleaning.


125,-

E2

ES2

EN2

ED2



With cooling spray disabled, this tip is used for lateral thermal condensation of gutta percha.


125,-

E3

ES3

EN3

ED3



Diamond coated, used to remove calcification and bad filling material from pulp cavity and overhang pulp chamber.

199,-

E3D

ES3D

EN3D

ED3D



Quickly removes obstructions and broken instruments in the mid and upper thirds of large and straight canals.

149,-

E4

ES4

EN4

ED4



Diamond coated, for retreatments or extremely hard materials.


179,-

E4D

ES4D

EN4D

ED4D



Useful for quickly eliminating calculus and temporary cements.


149,-

E5

ES5

EN5

ED5



Diamond Coated, for enhanced cutting and abrasion. Especially useful for removing very hard materials on the canal wall.

179,-

E5D

ES5D

EN5D

ED5D



FG-bur holder used to expand the root canal and grind teeth.

179,-

E8

EN8

ED8

EMS

NSK

SAT




FG-bur holder used to expand the root canal and grind teeth.

179,-

E9

EN9

ED9




Used for gentle treatment of the root canal of anterior teeth.

149,-

E10

EN10

ED10




Diamond coated, used for efficient apical polishing of anterior teeth.

179,-

E10D

EN10D

ED10D




Used for gentle treatment in the root canal of anterior teeth.

149,-

E11

EN11

ED11



Diamond coated, with enhanced cutting and abrasive power; especially useful for removing very hard materials on the canal wall and lateral cutting.

179,-

E11D

EN11D

ED11D



Quickly removes obstructions and broken instruments in the mid and upper thirds of large and straight canals.

149,-

E14

EN14

ED14



Diamond coated for retreatments or extremely hard materials.

179,-

E14D

EN14D

ED14D



Useful for quickly eliminating calculus and temporary cements.

149,-

E15

EN15

ED15



Diamond coated, for enhanced cutting and abrasion. Especially useful for removing very hard materials on the canal wall.

179,-

E15D

EN15D

ED15D



EMS

SIR

NSK

SAT

## CROWN REMOVAL



Used to remove bridges, crowns and posts by fracturing the cement.


99,-

G7

GS7

GN7

GD7



Used to remove bridges, crowns and posts by fracturing the cement.

99,-

G8

## CAVITY PREPARATION



Ball diamond tip, for preparation of occlusal surfaces and cervical ridges.


179,-

SB1

SBS1

SBN1

SBD1



Semi-spherical diamond tip, for finishing cervical interproximal areas without causing lesions to adjacent teeth.


179,-

SB2

SBS2

SBN2

SBD2



Semi-spherical diamond tip, for finishing cervical interproximal areas without causing lesions to adjacent teeth.


179,-

SB3

SBS3

SBN3

SBD3



Semi-spherical diamond tip set 45° to the left. Allows the dentist to remove carious areas of a tooth without damaging the adjacent teeth.

179,-

SBL

SBSL

SBNL

SBDL



Semi-spherical diamond tip set 45° to the right. Allows the dentist to remove carious areas of a tooth without damaging the adjacent teeth.

179,-

SBR

SBSR

SBNR

SBDR

EMS

SIR

NSK

SAT

## IMPLANT CLEANING



**Implant Cleaning.** The ICP tip is used for sub- and supragingival cleaning of implants and restorations. The replaceable peek makes the action safe and gentle. The set contains 1 ICP, 1 ICP wrench and 2 spare peeks.

319,-

eICP SET

srICP SET

nlCP SET

sICP SET



**Replacement.** ICPpeeks are autoclavable and reusable. Replacing the ICPpeek is simple using the wrench included in ICP SET.

469,-

ICPpeek

ICPpeek


ICPpeek

ICPpeek




Compatible tips for  
EMS scaler devices

## SCALING & PERIODONTICS




**Universal.** Accurate removal of solid supragingival calculus in all quadrants.

**149,-**




**Perio.** The eP instrument is well suited for the precise removal of stubborn subgingival and supragingival calculus and concretions in all quadrants.

**149,-**




**PerioSlim.** The fast and minimally-invasive ePS instrument is ideal for calculus removal in deep periodontal pockets in all quadrants.

**149,-**



**Perio Cleaning.** For cleaning and disinfecting periodontal pockets, it is especially suitable for follow-up and recall visits for periodontal maintenance patients.





**149,-**




**Anterior Periodontics.** Enables treatment of the incisor-canine block. The guide edge is oriented parallel to the pocket. Enables work in the periodontal pocket without injury to the ligament.

**179,-**

## SETS (TORQUE WRENCH INCL. SCALER TIP)




## ENDODONTIC



**Access Long Canals.** The ROGP tip is used to access areas not reached by other tips. Particularly effective for retreatments, especially in long oval canals, where most other tips would not fit. Excellent for Gutta-Percha removal.

**319,-**



**Access Long Canals - 90°.** The ROGP tip is used to access areas not reached by other tips. Particularly effective for retreatments, especially in long oval canals, where most other tips would not fit. Excellent for Gutta-Percha removal.

**319,-**

## IMPLANT CLEANING



**Implant Cleaning.** The ICP tip is used for sub- and supragingival cleaning of implants and restorations. The replaceable peek makes the action safe and gentle. The set contains 1 ICP, 1 ICP wrench and 2 spare peeks.

**319,-**




**Replacement.** ICPpeeks are autoclavable and reusable. Replacing the ICPpeek is simple using the wrench included in ICP SET.

**469,-**




Compatible tips for  
SATELEC scaler devices

## SCALING



**Universal.** Simple supragingival scaling and tartar removal without damage to the enamel.


149,-



**Slim.** Supra and subgingival scaling. Particularly effective for interproximal spaces.


149,-

149,-



**Calculus.** Apply the flat part to the tooth to remove major calculus deposits.


149,-



**Stain Removal.** Rounded leading edge is effective for the removal of marks or stains such as tobacco or tea.

149,-

## PERIODONTICS



**Interproximal.** Its flat active part makes it suitable for the interproximal spaces and supragingival scaling. Its anatomical design enables fast and efficient use.


179,-



**Anterior Periodontics.** Enables treatment of the incisor-canine block. The guide edge is oriented parallel to the pocket. Enables work in the periodontal pocket without injury to the ligament.


179,-

179,-



**Shallow.** Slim round instrument suitable for scaling shallow pockets less than 2-3mm deep.

179,-



**Subgingival.** Medium pockets (< 4mm). Removal of biofilm and soft deposits, enables observation of pocket depth using the 3mm scale.

179,-



**Premolar and Molar.** Right-curve. Second instrument, use after sH4L.

**Maxillary.** Palatine and mesial surfaces of sector 2, pivots at 13, then buccal and distal surfaces of sector 1.

**Mandibular.** Lingual and mesial surfaces of sector 4, pivots at 43, then buccal and distal surfaces of sector 3.


179,-

**Premolar and Molar.** Left-curve. First instrument for treating all the surfaces and the furcations.

**Maxillary.** Buccal and distal surfaces of sector 2, pivots at 13, then the buccal and mesial surfaces of sector 1.


**Mandibular.** Buccal and distal surfaces of sector 4, pivots at 43, then lingual and mesial surfaces of sector 3.

179,-




**Extended Probe.** Ideal for examining and maintenance of medium to deep pockets ( $> 4\text{mm}$ ). A diagnosis aid used during the debridement and irrigation of pockets.

**179,-**




**Probe.** Recommended for examining shallow and medium pockets ( $< 4\text{mm}$ ) and for the maintenance of simple cases. sTK1S tip is graduated every 3mm.

**179,-**



**Left-Oriented Maintenance.** Recommended for the maintenance of moderate to deep pockets and furcations. Equivalent to the Nabers probe.

**179,-**




**Right-Oriented Maintenance.** Partner to the sTK2L. Recommended for the maintenance of moderate to deep pockets and furcations. Equivalent to the Nabers probe.

**179,-**




## ENDODONTIC




**Instrument Removal.** Used in the middle third of wide, straight canals, the sET40 is a rapid solution for removal of broken instruments.

**179,-**



**Diamond.** A diamond-coated steel tip for retreatment of very hard material in the middle third. Length 40mm, 30 µm diamonds, taper 4%.

**239,-**



**Access Long Canals.** The ROGP tip is used to access areas not reached by other tips. Particularly effective for retreatments, especially in long oval canals, where most other tips would not fit. Excellent for Gutta-Percha removal.



**Access Long Canals - 90°.** The ROGP tip is used to access areas not reached by other tips. Particularly effective for retreatments, especially in long oval canals, where most other tips would not fit. Excellent for Gutta-Percha removal.

## IMPLANT CLEANING



**Implant Cleaning.** The ICP tip is used for sub- and supragingival cleaning of implants and restorations. The replaceable peek makes the action safe and gentle. The set contains 1 ICP, 1 ICP wrench and 2 spare peeks.

**319,-**




**Replacement.** ICPpeeks are autoclavable and reusable. Replacing the ICPpeek is simple using the wrench included in ICP SET.

**469,-**




Compatible tips for  
NSK scaler devices

## PIEZO SCALING (VARIOS)




**Universal.** Removal of supragingival and marginal calculus, removal of calculus from narrow interdental regions.

**149,-**




**Scaling.** Removal of supragingival and marginal calculus.

**149,-**




**Slim.** Removal of supragingival and marginal gingival calculus and removal of calculus from interproximal spaces.

**149,-**



**Universal Slim.** Removal of supra and marginal gingival calculus; particularly effective in interdental spaces.

**149,-**



**Interproximal.** Removal of calculus from interproximal areas.

**149,-**

## IMPLANT CLEANING



**Implant Cleaning.** The ICP tip is used for sub- and supragingival cleaning of implants and restorations. The replaceable peek makes the action safe and gentle. The set contains 1 ICP, 1 ICP wrench and 2 spare peeks.


**319,-**



**Replacement.** ICPpeeks are autoclavable and reusable. Replacing the ICPpeek is simple using the wrench included in ICP SET.


**469,-**

## AIR SCALING (TI-MAX)




**Universal.** Removal of marginal gingival and supragingival calculus.

**179,-**




**Perio.** Removal of supragingival calculus.

**179,-**




**Sickle.** Removal of supragingival calculus.

**179,-**




**Root Planing.** Long straight tip for the removal of subgingival calculus and biofilm.

**179,-**



Universal slim tip.

**179,-**




A root cleaning tip, straight application.

**179,-**



A root cleaning tip, with a left curve.

**179,-**



A root cleaning tip, with a right curve.

**179,-**

## IMPLANT CLEANING



**Implant Cleaning.** The ICP tip is used for sub- and supragingival cleaning of implants and restorations. The replaceable peek makes the action safe and gentle. The set contains 1 ICP, 1 ICP wrench and 2 spare peeks.

**395,-**



**Replacement.** ICPpeeks are autoclavable and reusable. Replacing the ICPpeek is simple using the wrench included in ICP SET.


**469,-**



Compatible tips for  
SIRONA scaler devices

## SCALING


sr1L



**General.** A flat tipped instrument for initial lingual and buccal scaling.

149,-


sr2L



**Versatile.** A versatile instrument used for lingual, buccal and approximal scaling.

149,-


sr3L



**Interdental.** A universal instrument which can be used for subgingival scaling at interdental sites.

149,-

sr4L



**Universal.** A fine instrument, ideal for supragingival and subgingival tooth surfaces and interdental areas.

149,-


srPE1



**Perio.** For rinsing and root cleaning in deep gum pockets.

149,-


srPE2



**Perio.** Curved to the right, for root cleaning in deep gum pockets in the posterior region.

149,-

srPE3



**Perio.** Curved to the left, for root cleaning in deep gum pockets in the posterior region.

149,-

## IMPLANT CLEANING

srICP SET



**Implant Cleaning.** The ICP tip is used for sub- and supragingival cleaning of implants and restorations. The replaceable peek makes the action safe and gentle. The set contains 1 ICP, 1 ICP wrench and 2 spare peeks.

319,-

ICPpeek



**Replacement.** ICPpeeks are autoclavable and reusable. Replacing the ICPpeek is simple using the wrench included in ICP SET.


469,-



Compatible tips for  
KAVO scaler devices

## SONICflex

k#5



**General.** For calculus removal from all tooth surfaces.

179,-


k#6



**Fine.** Fine instrument for smaller areas and those which are difficult to access.

179,-


k#7



**Subgingival.** Instrument used for subgingival scaling.

179,-

k#8



**Subgingival.** For the removal of subgingival calculus.

179,-


k#60



**Perio.** A long straight tip with rounded surfaces, the k60A is used for gentle pocket cleaning during periodontal treatment. Used in the anterior region, it is effective on smooth surfaces and at cleaning pockets up to 9 mm deep.

179,-

k#61



**Perio Left.** Curved to the left, for buccal access in the first and third quadrants to central incisor. Gentle but effective cleansing in pockets up to 9 mm deep, then cleansing of front teeth. Lingual access to premolars and molars in the second and fourth quadrants.

179,-

NEW

k#62



**Perio Right.** Curved to the right, for buccal access in the first and third quadrants to central incisor. Gentle but effective cleansing in pockets up to 9 mm deep, then cleansing of front teeth. Lingual access to premolars and molars in the second and fourth quadrants.

179,-

NEW

kPS




**PerioSlim.** The fast and minimally-invasive PS instrument is ideal for calculus removal in deep periodontal pockets in all quadrants.

179,-

NEW

GK2



Used for supragingival, subgingival and interdental calculus removal.

179,-


GK5



Used for supragingival, subgingival and interdental calculus removal.

179,-


GK6



Curved to the left, used for supragingival, subgingival and interdental calculus removal.

179,-

GK7



Curved to the right, used for supragingival, subgingival and interdental calculus removal.

179,-



## EK8



**FG-bur Holder.** FG-bur holder used to expand the root canal and grind teeth.

**179,-**

## kICP SET



**Implant Cleaning.** The ICP tip is used for sub- and supragingival cleaning of implants and restorations. The replaceable peek makes the action safe and gentle. The set contains 1 ICP, 1 ICP wrench and 2 spare peeks.

**365,-**

## ICPpeek




10X

**Replacement.** ICPpeeks are autoclavable and reusable. Replacing the ICPpeek is simple using the wrench included in ICP SET.

**469,-**


**Attention:** For SONICflex please use: TW KAV Q

## PIEZOlux & SONOsoft




**Sickle.** Used to remove calculus and bacterial plaque from supragingival interdental calculus.

**179,-**



**Perio.** Used to remove calculus and bacterial plaque from supragingival interdental calculus.

**179,-**




**Universal.** Used to remove subgingival calculus.

**179,-**


**Attention:** For PIEZOlux & SONOsoft please use: TW KAV Q

## PiezoLED & PIEZOsoft




**Universal.** Accurate removal of solid supragingival calculus in all quadrants.

**179,-**



**Perio.** Well suited for the precise removal of stubborn subgingival and supragingival calculus and concretions in all quadrants.

**179,-**



**PerioSlim.** Fast and minimally-invasive, ideal for calculus in deep periodontal pockets in all quadrants.

**179,-**




**File Holder 120°.** Use with Xpident U files with a shank diameter of 0.57mm, this tip is usually used for anterior root canal cleaning.

**179,-**

**Attention:** For PiezoLED & PIEZOsoft please use: TW KAV M

## SONICflex quick

k5A



**General.** For calculus removal from all tooth surfaces.

**179,-**

k6A



**Fine.** Fine instrument for smaller areas and those which are difficult to access.

**179,-**


k7A



**Subgingival.** Instrument used for subgingival scaling.

**179,-**

k8A



**Subgingival.** For the removal of subgingival calculus.

**179,-**

k60A



**Perio.** A long straight tip with rounded surfaces, the k60A is used for gentle pocket cleaning during periodontal treatment. Used in the anterior region, it is effective on smooth surfaces and at cleaning pockets up to 9 mm deep.

**179,-**

k61A



**Perio Left.** Curved to the left, for buccal access in the first and third quadrants to central incisor. Gentle but effective cleansing in pockets up to 9 mm deep, then cleansing of front teeth. Lingual access to premolars and molars in the second and fourth quadrants.

**179,-**


k62A



**Perio Right.** Curved to the right, for buccal access in the first and third quadrants to central incisor. Gentle but effective cleansing in pockets up to 9 mm deep, then cleansing of front teeth. Lingual access to premolars and molars in the second and fourth quadrants.

**179,-**

GK5A



Used for supragingival, subgingival and interdental calculus removal.

**179,-**

kiCPA SET



**Implant Cleaning.** The ICP tip is used for sub- and supragingival cleaning of implants and restorations. The replaceable peek makes the action safe and gentle. The set contains 1 ICP, 1 ICP wrench and 2 spare peeks.

**399,-**

ICP peek



**Replacement.** ICPpeeks are autoclavable and reusable. Replacing the ICPpeek is simple using the wrench included in ICP SET.


**469,-**

**Attention:** For SONICflex quick please use: TW KAV Q



Compatible tips for  
AMDENT scaler devices

## SCALING



**Universal.** Tip for subgingival scaling, furcations, supragingival fine scaling and spot removal.

**179,-**



**Perio.** Primarily for lingual and buccal subgingival scaling and furcations. Also used for supragingival fine scaling and spot removal.

**179,-**




**Heavy Calculus Removal.** Can be used for lingual and buccal supragingival scaling.

**179,-**




Compatible tips for  
MECTRON Surgery devices

## BONE CUTTING




**Bone Saw.** Osteotomy of large bone sections during maxillofacial surgery.

319,-




**Angled Micro-Saw 0.6mm.** All the osteotomy techniques in maxilla and mandible; bone block grafting, horizontal osteotomy - left angle.

395,-




**Angled Micro-Saw 0.6mm.** All the osteotomy techniques in maxilla and mandible; bone block grafting, horizontal osteotomy - right angle.

395,-




**Precision Saw.** Used for cutting bone, with great precision and efficiency. Five sharp teeth.

479,-




**Precision Saw.** Used for cutting bone, with great precision and efficiency. Four sharp teeth.

479,-




**Saw Tooth.** Used for cutting bone, with great precision and efficiency.

479,-




**Basic Scalpel.** Osteotome of great precision in anatomically thin structures (for example ridge expansion, interdental corticotomies, nontraumatic nasal spina).

479,-




**Osteoplasty Scalpel.** Universal osteoplasty, periodontal osteotomy, crown lengthening, bone chip harvesting, inflammatory tissue removal (cysts, etc.).

319,-




**Special Micro-Saw (3 teeth).** Very thin and small osteotomy and corticotomy technique for orthodontic microsurgery, root fraction technique for dental extraction maneuver.

395,-




**Implant Site Preparation.** To correct pilot osteotomy axis, to finalise the implant site preparation close to the alveolar nerve; sinus crestal approach techniques.

479,-




**Osteotomy & Osteoplasty.** Osteotome of great precision in anatomically thin structures (for example ridge expansion, interdental corticotomies, nontraumatic nasal spina).

479,-



**Principal Micro-Saw 0.55mm.** Osteotomy technique in maxilla and mandible, ridge expansion, corticotomy technique, and bone block grafting.

479,-




**Special Micro-Saw 0.35 (4 Teeth).** Very thin osteotomy, corticotomy for orthodontic microsurgery techniques, root separation in dental extraction techniques and periodontal surgery.

**479,-**



**Micro-Osteoplasty.** Used for peri-apical maxillary bone osteotomy access, the removal of inflammatory tissue.

**245,-**



**Efficient Osteotomy (5 Teeth).** Ridge expansion, bone block grafting (from chin/mandible ramus), LeFort I osteotomy techniques, bilateral sagittal split osteotomy.


**479,-**



**Micro-Root Preparation.** Used for root preparation in periodontal surgery.


**245,-**

## SINUS LIFTING




**Sinus Membrane Separator Angled at 130°.** Non-cutting separator of the sinus membrane.

**319,-**




**Sinus Membrane Separator.** Separation of the sinus membrane, 2mm around the frame of the bony window.

**319,-**




**Sensitive Bone Cutting.** Used for bone cutting near soft tissue or sensitive regions with minimal trauma. Ball end tip, diamond coated.

**479,-**



**Sinus Bone Window Osteotomy.** Periodontal osteotomy, crown lengthening, bone chip harvesting, inflammatory tissue removal (cysts, etc.).

**479,-**




**Sinus Membrane Separator Angled at 105°.** Non-cutting separator of the sinus membrane.

**319,-**




## IMPLANTATION




**1.6 mm Enlargement.** Used to enlarge implantation area avoiding soft tissue trauma.

319,-




**2.0 mm Enlargement.** Used to enlarge implantation area avoiding soft tissue trauma.

319,-




**Fine Preparation.** Used for final preparation of bone implant sites.

319,-



**Implant Preparation.** Diameter 1.6mm x 15mm. Used to enlarge implant site.

319,-




**Implant Preparation.** 2.8 mm Cutting head.

479,-




**Deep Preparation.** 2.8 mm Cutting head.

479,-




**Diamond Bone Perforation.** Conical surgery tip with diamond layer for bone perforation. Recommended for pilot osteotomy in extraction sites and to check the alignment of the axis of PIN IM1 preparations. **139**

rs. **479,**




**Bone Perforation.** Preparation of the implant bed, especially bone perforation. Particularly effective for pilot osteotomy in the anterior and posterior (maxillary) region or to check the alignment of the axis of the preparations 2 PIN 2-2.4.

479,-




**Bone Perforation.** Pilot osteotomy in posterior region (in the maxilla).

479,-




**Bone Perforation.** To enlarge or to finalise the implant site preparation; insert with double irrigation to avoid overheating (in the maxilla).

479,-




**Bone Perforation.** To enlarge or to finalise the implant site preparation; insert with double irrigation to avoid overheating (in the maxilla).

479,-




**Bone Perforation.** To finalise the implant site preparation; insert with double irrigation to avoid overheating (in the maxilla).


479,-



479,-




479,-



479,-


# ENDODONTIC



479,-



479,-




479,-




479,-


## EXTRACTION



479,-



479,-



479,-

## XM-NINJA



**Tooth Sectioning.** Saw-tooth tip particularly efficient for hemisections and root amputations.

**479,-**

## UC1



**Extraction Scalpel.** Root osteoplasty to cut off the ankylosis, root fraction techniques.

**399,-**

## SCALING

## UP1



**Gentle Scaling.** Root scaling.

**239,-**

## UP2



**Periodontal Scaler.** Scaling and inflammatory tissue removal, fractured root apex extraction.

**239,-**


## UP3



**Angled Curette.** Angled curette root scaling.

**239,-**

## UP4



**Scaling and Microdebridement.** Root debridement and root planing during resective and regenerative periodontal surgery.

**239,-**

## UP5



**Root Surface Micro-Smoothing.** Root planing.

**239,-**


## UP6



**Micro-Root Preparation.** Root preparation in periodontal surgery.

**239,-**

## UP7



**Micro-Osteoplasty.** Interproximal osteoplasty and root planing.

**239,-**

## IMPLANT CLEANING

## mICP SET



**Implant Cleaning.** The ICP tip is used for sub- and supragingival cleaning of implants and restorations. The replaceable peek makes the action safe and gentle. The set contains 1 ICP, 1 ICP wrench and 2 spare peeks.

479,-

## ICPpeek



**Replacement.** ICPpeeks are autoclavable and reusable. Replacing the ICPpeek is simple using the wrench included in ICP SET.

469,-



**Compatible tips for  
EMS Surgery devices**

## BONE SURGERY

E-BS1



**Cortical Bone Saw.** Saw intended for cutting of cortical bone in surgical orthodontics, pre-implant surgery, and bone distraction.

**319,-**

E-BS2L



**Left Cortical Bone Saw.** Left-oriented bone saw used for cutting the ramus cortical bone.

**395,-**

E-BS2R



**Right Cortical Bone Saw.** Right-oriented bone saw used for cutting the ramus cortical bone.

**395,-**

E-BS4



**Circular Scalpel.** Circular scalpel at 130° for osteoplasty and harvesting of bone particles or chips.

**319,-**

E-BS5



**Flat Scalpel.** For fine osteotomies. All high-precision osteotomy techniques such as crest expansion, osteotomy line, distraction, approach of the vestibular bone flap in the presence of a thick cortex in sinus surgery.

**319,-**

E-BS6



**Curved Scalpel.** Effective for substantial osseous reshaping. It is used to perform osteoplasties and reshaping of the bone not assuring the tooth support. It can also be used to mark a prosthetic reference point on enamel, where osteoplasty will begin.

**395,-**

E-BS6F



**Special Micro-Saw.** Osteotomy technique in maxilla and mandible, ridge expansion, corticotomy technique and bone block grafting.

**479,-**

## SINUS LIFTING

E-SL1



**Sinus Bone Window Osteotomy.** Diamond-coated tip for vestibular bone window cut and attenuation of sharp angles.

**479,-**

E-SL2



**Micrometric Osteoplasty.** Diamond-coated ball tip for smoothing the vestibular bone window and precise osteoplasty.

**479,-**

E-SL3



**Sinus Membrane Separator.** Non-cutting tip served for schneiderian membrane elevation on the window's edges.

**319,-**

E-SL4



**Sinus Membrane Elevator.** 90°angled non-cutting spatula (4mm) allows the sinus membrane to be lifted deep inside the sinus.

**319,-**

E-SL5



**Non-Cutting Spatula.** Non-cutting spatula used for schneiderian membrane elevation inside the sinus and for disengagement of anatomical structures.

**319,-**

## EXTRACTION

E-LC1



**Root Osteoplasty.** Used for syndesmotomy and periradicular osteotomy.

**479,-**

E-LC1/90



**Extraction Scalpel.** Used for cutting ligaments with minimal trauma when pulling out firm and solid teeth.

**479,-**

E-LC2



**Slim Scalpel.** Slim tip, particularly slim, allows for access to the tight spaces between the root and the alveolar bone.

**479,-**

E-LC2L



**Angled Scalpel.** Left-oriented at 45°, tip facilitates access to the posterior areas.

**479,-**

E-LC2R



**Angled Scalpel.** Right-oriented at 45° tip facilitates access to the posterior areas.

**479,-**

E-Pirahna



**Root Amputator.** Saw-tooth tip particularly efficient for hemisections, root amputations.

**479,-**



Compatible tips for  
SATELEC SURGERY devices



## BONE SURGERY



**Cortical Bone Saw.** Saw intended for cutting of cortical bone in surgical orthodontics, pre-implant surgery, and bone distraction.

479,-



**Left Cortical Bone Saw.** Left-oriented bone saw used for cutting the ramus cortical bone.

559,-



**Right Cortical Bone Saw.** Right-oriented bone saw used for cutting the ramus cortical bone.

559,-



**Circular Scalpel.** Circular scalpel at 130° for osteoplasty and harvesting of bone particles or chips.

479,-



**Flat Scalpel.** For fine osteotomies. All high-precision osteotomy techniques such as crest expansion, osteotomy line, distraction, approach of the vestibular bone flap in the presence of a thick cortex in sinus surgery.

479,-



**Curved Scalpel.** Effective for substantial osseous reshaping. It is used to perform osteoplasties and reshaping of the bone not assuring the tooth support. It can also be used to mark a prosthetic reference point on enamel, where osteoplasty will begin.

479,-

## IMPLANTATION



**Diamond Bone Perforation.** Conical surgery tip with diamond layer for bone perforation. Recommended for pilot osteotomy in extraction sites and to check the alignment of the axis of PIN IM1 preparations.

639,-



**Bone Perforation.** Preparation of the implant bed, especially bone perforation. Particularly effective for pilot osteotomy in the anterior and posterior (maxillary) region or to check the alignment of the axis of the preparations 2 PIN 2-2.4.

639,-



**Bone Perforation.** To enlarge or to finalise the implant site preparation; insert with double irrigation to avoid overheating (in the maxilla).

639,-

## SINUS LIFTING

SL1

V-SL1



**Sinus Bone Window Osteotomy.** Diamond-coated tip for vestibular bone window cut and attenuation of sharp angles.

639,-

SL2

V-SL2



**Micrometric Osteoplasty.** Diamond-coated ball tip for smoothing the vestibular bone window and precise osteoplasty.

639,-

SL3

V-SL3



**Sinus Membrane Separator.** Non-cutting tip served for schneiderian membrane elevation on the window's edges.

479,-

SL4

V-SL4



**Sinus Membrane Elevator.** Non-cutting 90° angled spatula allows the sinus membrane to be lifted deep inside the sinus. Diameter of the spatula: 4mm

479,-

SL5

V-SL5



**Non-Cutting Spatula.** Non-cutting spatula used for schneiderian membrane elevation inside the sinus and for disengagement of anatomical structures.

479,-

## EXTRACTION

LC1

V-LC1



**Root Osteoplasty.** Used for syndesmotomy and periradicular osteotomy.

639,-

LC1/90

V-LC1/90



**Extraction Scalpel.** Used for cutting ligaments with minimal trauma when pulling out firm and solid teeth.

639,-

LC2

V-LC2



**Slim Scalpel.** Slim tip, particularly slim, allows for access to the tight spaces between the root and the alveolar bone.

639,-

LC2L

V-LC2L



**Angled Scalpel.** Left-oriented at 45°, tip facilitates access to the posterior areas.

639,-

LC2R

V-LC2R



**Angled Scalpel.** Right-oriented at 45°, tip facilitates access to the posterior areas.

639,-

Pirahna

V-Pirahna



**Root Amputator.** Saw-tooth tip particularly efficient for hemisections and root amputations.

639,-

## TORQUE WRENCHES

TW EMS P

129,-



**EMS®**

Plastic Torque Wrench

TW SAT P

129,-



**Satelec®**

Plastic Torque Wrench

TW NSK P

129,-



**NSK®**

Plastic Torque Wrench

TW SIR P

149,-



**Sirona®**

Plastic Torque Wrench

TW KAV Q

239,-



**KaVo®**

Torque wrench for SONICFLEX,  
PIEZOlux & SONOsoft, SONICflex quick

TW KAV M

239,-



**KaVo®**

Torque wrench for KAVO  
PiezoLED & PIEZOsoft

TW MEC M

239,-



**Mectron®**

For all MECTRON tips

TW AMD M

259,-



**Amdent®**

For all Amdent tips

NEW

W ENDO

55,-



Endo Wrench

ICP WREN


55,-



ICP Wrench

## U-FILES (32mm)

UF-SET/32




85,-

U-Files (32mm)


This set contains 1 piece each of UF-15/32, UF-20/32, UF-25/32 and UF-30/32.

UF-15/32




ø0.15mm  
10pieces/box

UF-20/32




ø0.2mm  
10pieces/box

UF-25/32



ø0.25mm  
10pieces/box

UF-30/32




ø0.3mm  
10pieces/box

189,-

**Attention:** Our U-Files work with the following file holders:  
E1, ES1, EN1, ED1, E2, ES2, EN2, ED2 and k222.


## THREAD CHECKERS

TC-1




EMS - Surgery

TC-4




MECTRON - Surgery  
KAVO PiezoLED / PIEZOsoft

TC-2




EMS  
MECTRON  
KAVO-PIEZOlux / SONOsoft  
SATELEC  
NSK

TC-5




SATELEC - Piezotome 1  
SATELEC - Piezotome 2

TC-3



KAVO - SONICflex  
NSK - Air  
KAVO - SONICflex quick

TC-6



SIRONA  
AMDENT

## SCALER HANDPIECES

**HP EMS**EMS Compatible  
NO-LED Handpiece**699,-****HP SAT**SATELEC Compatible  
NO-LED Handpiece**699,-****HP EMS LED**EMS Compatible  
LED Handpiece**799,-****HP SAT LED**SATELEC Compatible  
LED Handpiece**799,-**

Xpedent handpieces are manufactured from aluminium, they are therefore able to withstand autoclaving without the exterior cracking problems often associated with plastic handpieces. They are compatible with EMS and SATELEC machines. LED handpieces have a different connection from non-LED.

## AUTOCLAVABLE TIP HOLDERS

**TH WC**

Tip holder with cover

**149,-****TH**


Tip holder

**105,-**

## BUILT-IN SCALER MACHINES



HP EMS LED



5 Tips



TW EMS P



SHEL-BE EMS

SHEL-BE SAT

1650,-

**Built-in Scaler:** For installation into dental chair.

## TIP WALLETS

DEMO1



DEMO1S



DEMO3



The tip wallets are made from black anodised aluminium. They are designed to show our tip range to best advantage. The standard wallets DEMO1 and DEMO1S contains our recommended range. Wallets can be customised for ODM or OEM use. They are recommended for both use at dental shows and by travelling sales staff.

# Contact



- **Head Office**

Xpedent UK Ltd  
The Old Granary  
East Street  
West Chiltington  
West Sussex  
RH20 2JY  
England

[www.xpedent.com](http://www.xpedent.com)

VAT no: GB912844819

- **Sales Office**

Xpedent Austria GmbH  
Millennium Park 9  
6890 Lustenau  
Austria

Tel. : +41 78 640 55 78  
[andreas@xpediency.com](mailto:andreas@xpediency.com)  
[www.xpedent.com](http://www.xpedent.com)  
Contact: Mr. Andreas Riederer

VAT no: ATU75421447